



HOSHIZAKI

KP 82 CCF L2 5S



GAMME DE PRODUITS: KP
NUMÉRO D'ARTICLE: 960870413

Armoires de refroidissement rapide, de -30/+20° Porte ferrée à droite réversible avec serrure et un rappel de fermeture de porte – Pédale de porte – 4 grilles inox Technique KP, 6 fonctions : réfrigérateur, congélateur, refroidissement rapide, congélation rapide, froid sec et décongélation rapide contrôlée Extérieur/Intérieur: Inox/Inox (dos et dessous extérieur, inox en option) Refroidissement KP 82 avec ISO-packs: 25 mm 18 kg, de +70°C à +3°C en 90 min. Décongélation KP 82 avec ISO-packs: 50 mm 30 kg, de -18°C à +7°C en 12 heures Les armoires sont disponibles avec un système de réfrigération intégré ou un groupe de condensation à distance.



HOSHIZAKI

KP 82 CCF L2 5S

SPÉCIFICATIONS TECHNIQUES

SPÉCIFICATIONS TRANSPORT



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige order@hoshizaki.se
Hoshizaki UK uksales@hoshizaki.uk
Pays exportateurs sales.ex@hoshizaki-europe.com
Autres pays sales.ex@hoshizaki-europe.com

www.hoshizaki.be



HOSHIZAKI

KP 82 CCF L2 5S



Dessin dimensionnel à venir



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige order@hoshizaki.se
Hoshizaki UK uksales@hoshizaki.uk
Pays exportateurs sales.ex@hoshizaki-europe.com
Autres pays sales.ex@hoshizaki-europe.com

www.hoshizaki.be