BCF RI U 100 CO2 1N DL

Roll-in Unibody Blast Chiller/Freezer for remote CO2 cooling system

PRODUCT SERIES: ROLL-IN UNIBODY BLASTCHILLER/FREEZER
ITEM NUMBER: 5BMA8DCRH-20A3MC
COUNTRY OF ORIGIN: ITALY



PREMIER BCF RI U 100 CO2 1N DL is a HACCP compliant blast chiller/freezer applicable for trolley GN1/1 or EN60/40. Chilling/freezing capacity of 100/78 kg.

The cabinet comes with floor, ramp, controller, wi-fi connection, Ethernet port, core probe, external condensate drain tube, USB-port and lock closure.

- 7" touch screen controller with coloured icons
- Chilling, freezing, preservation, precooling, ice cream hardening, fish sanitasation, bottle cooling, pastry, cell sanitisation, thawing, cell drying
- Choice of time- or temperature-controlled (probe) chill/freeze cycles
- Single probe cascade cycles, Timer cycles, Quick start
- Heated core probe
- Can be connected to wi-fi
- Ethernet port
- USB-port for HACCP data collection
- Customisable parameters
- Multiple and customisable cycle stages
- Adjustable fan speed
- Operating in ambient temperatures up to +40°C
- Heater defrosting
- Front access to electrical box
- Internal fan section can be opened for easy cleaning around and behind
- Left-hand hinged door (right-hand hinged door is optional)
- Heated door perimeter
- Built-in flush-mounted trolley ramp
- Evaporator with cataphoresis coating for rust protection
- Rounded internal corners
- Lock closure

COMPATIBLE WITH

Trolley GN1/1 or EN60/40

ACCESSORIES INCLUDED

N/A

OPTIONAL EXTRAS

Bumpers *
Ozone generator *
Right-hand hinged door *
Wooden crate packaging *

* Add-on = Must be specified when placing the order

WARRANTY PERIOD
1 Year on Parts & Labour - based on country agreement

EXTERIOR
Stainless steel AISI 304

INTERIOR
Stainless steel AISI 304

Refrigerant compatibility: R744

Hoshizaki Europe B.V.
Burgemeester Stramanweg 101
1101 AA Amsterdam
The Netherlands

HEBV Amsterdam office T. +31 (0)20 691 8499
Export line direct T. +31 (0)20 565 0429
sales.ex@hoshizaki-europe.com
service.ex@hoshizaki-europe.com
www.hoshizaki-europe.com

BCF RI U 100 CO2 1N DL

TECHNICAL SPECIFICATIONS

Cooling system	Temperature range	Power supply	Required cooling capacity	Connection load	Fuse Rating	Chilling capacity (from +70°C to +3°C in 90 minutes)	Freezing capacity (from +70°C to -18°C in 4 hours)
For remote cooling system	-40/+40°C	220-240V/1N/50Hz	8.987 W	483 W	20 A	100 kg	78 kg

Climate class	Net weight	Door clear opening (W x H)	Dimensions internal (W x D x H)	Dimensions external (W x D x H)
5 (max. ambient 40°C w/ 40% RH)	320 kg	673 x 1881,8 mm	690 mm x 833 mm x 1.881 mm	1.210 mm x 1.081 mm x 2.243 mm

SHIPPING SPECIFICATIONS

Dimensions packed (W x D x H)	Volume (packed)	Gross weight
1.270 mm x 1.150 mm x 2.527 mm	3,7 m3	350 kg

Disclaimer: Every effort has been made to ensure that the information contained in this spec sheet is accurate at the time of publishing. Hoshizaki Europe BV assumes no responsibility or liability for typographical errors or omissions or for any misinterpretation of the information within the publication and reserves the right to change without notice.

HOSHIZAKI


Hoshizaki Belgium info@hoshizaki.nl
Hoshizaki Danmark info@hoshizaki.dk
Hoshizaki Deutschland vertrieb@hoshizaki.de
Hoshizaki France info@hoshizaki.fr
Hoshizaki Iberia info@hoshizaki.es
Hoshizaki Italia commerciale@hoshizaki.it
Hoshizaki Middle East sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige order@hoshizaki.se
Hoshizaki UK uksales@hoshizaki.uk
Export countries sales.ex@hoshizaki-europe.com
Other countries sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com

HOSHIZAKI

BCF RI U 100 CO2 1N DL



G1 INGRESSO REFRIGERANTE
REFRIGERANT INLET

G2 USCITA REFRIGERANTE
FERIGERANT OUTLET

W CONNESSIONE SCARICO
DRAIN CONNECTION

E CONNESSIONE ELETTRICA
ELECTRICAL CONNECTION

HOSHIZAKI

Hoshizaki Belgium	info@hoshizaki.nl
Hoshizaki Danmark	info@hoshizaki.dk
Hoshizaki Deutschland	vertrieb@hoshizaki.de
Hoshizaki France	info@hoshizaki.fr
Hoshizaki Iberia	info@hoshizaki.es
Hoshizaki Italia	commerciale@hoshizaki.it
Hoshizaki Middle East	sales.ex@hoshizaki-europe.com
Hoshizaki Netherlands	info@hoshizaki.nl
Hoshizaki Norge	salg@hoshizaki.no
Hoshizaki Sverige	order@hoshizaki.se
Hoshizaki UK	uksales@hoshizaki.uk
Export countries	sales.ex@hoshizaki-europe.com
Other countries	sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com