





HOSHIZAKI

KPS 60 CH Blast Chiller

PRODUCT SERIES: KPS
ITEM NUMBER: 860600110



EXTERIOR
Stainless Steel

INTERIOR
Stainless

Refrigerant: 2.4 kg / CO2 equivalent: 5.138 kg

Energy consumption - Chilling (kWh/kg)
0.08 kWh/kg



HOSHIZAKI

KPS 60 CH

TECHNICAL SPECIFICATIONS

Temperature range	Power supply	Ref. capacity (at -10°C)	Chilling capacity (from +70°C to +3°C in 90 minutes)
-25/+10°C	3x400V, 50 Hz	4,588 kW	60 kg

Sound level	Dimensions external (W x D x H)
63 dB(A)	780 mm x 995 mm x 2,215 mm

SHIPPING SPECIFICATIONS

Gross weight
205 kg

Please observe: It is necessary to connect this unit to an external drain



HOSHIZAKI

Hoshizaki Belgium info@hoshizaki.nl
Hoshizaki Danmark info@hoshizaki.dk
Hoshizaki Deutschland vertrieb@hoshizaki.de
Hoshizaki France info@hoshizaki.fr
Hoshizaki Iberia info@hoshizaki.es
Hoshizaki Italia commerciale@hoshizaki.it
Hoshizaki Middle East sales.ex@hoshizaki-europe.com


Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Export countries sales.ex@hoshizaki-europe.com
Other countries sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com



HOSHIZAKI

KPS 60 CH



Dimensional drawing coming soon



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Export countries sales.ex@hoshizaki-europe.com
Other countries sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com