



# HOSHIZAKI

## PROCESS KP 82 CCF L2 5S QUICK CHILLER



PRODUCT SERIES: KP  
ITEM NUMBER: 960870303

The KP 82 are "multifunctional" cabinets. Sophisticated electronic controls offer the choice of six different functions: Refrigeration, freezing, quick chill, quick freeze, controlled thawing and dry cooling. Equipped with right hand hinged reversible door with lock, automatic door closing, pedal door opener, 5 stainless shelves. Chilling KP 82 with ISO-packs: 25 mm 18 kg, from +7°C to +3°C in 90 min. Product thawing KP 82 with ISO-packs: 50 mm 30 kg, from -18°C to +7°C in 12 hours Please note these products should not be used for processes that require blast chilling or freezing.

**EXTERIOR**  
**Stainless Steel**

**INTERIOR**  
**Stainless**

Refrigerant type: Standard remote model prepared for R404A. Optionally can be prepared for R407A/R407F/R448A/R449A/R452A/R455A



# HOSHIZAKI

## PROCESS KP 82 CCF L2 5S

### TECHNICAL SPECIFICATIONS

Temperature range	Power supply	Connection load	Chilling capacity (from +70°C to +3°C in 90 minutes)
-30/+10°C	230V, 50Hz	165 kW	50 kg

Climate class	Dimensions external (W x D x H)
5 (max. ambient 40°C w/ 40% RH)	820 mm x 785 mm x 2.125 mm

### SHIPPING SPECIFICATIONS

Gross weight
136 kg



# HOSHIZAKI

Hoshizaki Belgium  
Hoshizaki Danmark  
Hoshizaki Deutschland  
Hoshizaki France  
Hoshizaki Iberia  
Hoshizaki Italia  
Hoshizaki Middle East

[info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
[info@hoshizaki.dk](mailto:info@hoshizaki.dk)  
[vertrieb@hoshizaki.de](mailto:vertrieb@hoshizaki.de)  
[info@hoshizaki.fr](mailto:info@hoshizaki.fr)  
[info@hoshizaki.es](mailto:info@hoshizaki.es)  
[commerciale@hoshizaki.it](mailto:commerciale@hoshizaki.it)  
[sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

Hoshizaki Netherlands [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Norge [salg@hoshizaki.no](mailto:salg@hoshizaki.no)  
Hoshizaki Sverige [order@hoshizaki.se](mailto:order@hoshizaki.se)  
Hoshizaki UK [uksales@hoshizaki.uk](mailto:uksales@hoshizaki.uk)  
Export countries [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)  
Other countries [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

[www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)



# HOSHIZAKI

## PROCESS KP 82 CCF L2 5S



Dimensional drawing coming soon



# HOSHIZAKI

Hoshizaki Belgium [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Danmark [info@hoshizaki.dk](mailto:info@hoshizaki.dk)  
Hoshizaki Deutschland [vertrieb@hoshizaki.de](mailto:vertrieb@hoshizaki.de)  
Hoshizaki France [info@hoshizaki.fr](mailto:info@hoshizaki.fr)  
Hoshizaki Iberia [info@hoshizaki.es](mailto:info@hoshizaki.es)  
Hoshizaki Italia [commerciale@hoshizaki.it](mailto:commerciale@hoshizaki.it)  
Hoshizaki Middle East [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

Hoshizaki Netherlands [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Norge [salg@hoshizaki.no](mailto:salg@hoshizaki.no)  
Hoshizaki Sverige [order@hoshizaki.se](mailto:order@hoshizaki.se)  
Hoshizaki UK [uksales@hoshizaki.uk](mailto:uksales@hoshizaki.uk)  
Export countries [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)  
Other countries [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

[www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)