KPS 42 CH

Blast Chiller

PRODUCT SERIES: KPS
ITEM NUMBER: 865780554









KPS 42 CH is a blast chiller featuring innovative technological solutions offering high food safety and performance. And with the new intuitive controller it has never been easier to manage chilling cycles. Featuring • Self closing door • Removable support for 1/1 GN and 40 x 60 cm, • Multipoint probe with 3 measuring points, • Choose either the IFR operation, time or temperature controlled chill cycle. • Prevent surface freezing damage with the IFR blast chilling function. • Up to 20 customized cycles can be stored. • HACCP alarms • Operates as a storage cabinet after the chilling process has finished. height: 1850 mm Exterior / interior: Stainless / Stainless Temperature range: 0 ° C / + 10 ° C. Cooling capacity: 45 kg from + 70 ° C to + 3 ° C in 90 minutes.

EXTERIOR
Stainless Steel

INTERIOR
Stainless

Refrigerant type: R452A / Refrigerant: 2 kg / CO2 equivalent: 4,282 kg

Energy consumption - Chilling (kWh/kg)
0.09 kWh/kg

Hoshizaki Europe B.V.
Burgemeester Stramanweg 101
1101 AA Amsterdam
The Netherlands

T. +31 (0)20 691 8499
sales.ex@hoshizaki-europe.com
www.hoshizaki-europe.com

KPS 42 CH

TECHNICAL SPECIFICATIONS

GN tray size	Temperature range	Power supply	Ref. capacity (at -10°C)	Chilling capacity (from +70°C to +3°C in 90 minutes)
1/1 GN	0/+10°C	230V, 50Hz	2,245 kW	45 kg

Sound level	Dimensions external (W x D x H)
72 dB(A)	800 mm x 830 mm x 1,850 mm

SHIPPING SPECIFICATIONS

Gross weight
225 kg

HOSHIZAKI

KPS 42 CH



Dimensional drawing coming soon