

KM-515MAH-E

Crescent Ice Maker, Modular

Production Capacity (kg/24h) - AT 10°C, WT 10°C: 515



ICE TYPE: Crescent Edge



PRODUCT SERIES: KM, KM 515 ITEM NUMBER: KH-515MAH-E

This modular ice maker produces clear, crescent shaped ice that is extremely versatile. It includes a double-sided stainless steel evaporator, which requires fewer cycles to produce a full bin of ice, thereby reducing energy consumption. The CycleSaver® design allows our crescent ice makers to produce more ice, using less energy, while cycling 1/2 as many times as the competition. EverCheckTM Control Board with audible alarm and diagnostic features, designed to assist service technicians in diagnosing problems.

The use of crescent shaped ice extends from the splash-free serving of post mix soft drinks through to diverse applications such as fish transportation, bottle and fish display and even laser therapy. it's ideal for fast selling establishments such as nightclubs, sporting and entertainment events.

- KM machines produce clear, crescent shaped ice. The unique shape is built from the inside out with an internal temperature of -4oC.
- Cubes produced are crystal clear as only the purest water molecules will freeze on Hoshizaki's US patented evaporator.
- Due to the half-moon shape and the consistent cube size, maximum storage bin capacity is optimised.
- An easily cleanable air filter allows users to carry out routine cleaning themselves, extending machine life and cutting the frequency and cost of maintenance call-outs.
- Double-sided ice making surface. This requires fewer cycles to produce a full bin of ice, thereby reducing energy consumption.
- Greatly reduces mineral build-up helping to produce clear, hard crescent cubes. Also improves pump and compressor operation.
- Poor water quality is one of the major causes of equipment breakdown. The double flushing system offers built-in self-cleaning, improving machine life.

EXTERIOR **Stainless Steel**

Refrigerant type: R404A / CO2 equivalent: 1,712 kg



KM-515MAH-E



Dimensional drawing coming soon

TECHNICAL SPECIFICATIONS

Cooling system	Power supply	Energy consumption	Production Capacity (kg/24h) - AT 10°C, WT 10°C
Air Cooled	1/220 - 240V/50Hz	1.2 kWh	515

SHIPPING SPECIFICATIONS

Gross weight	Width (legs excluded)	Depth (legs excluded)	Height (legs excluded)	Net weight
79 kg	560 mm	695 mm	770 mm	68 kg



Hoshizaki Middle East

sales.ex@hoshizaki-europe.com