





HOSHIZAKI

KPS 60 CF CO2

ROLL-IN BLAST CHILLER (CF) FOR REMOTE CO2 COOLING SYSTEMS.

SERIE: KPS
CODICE ARTICOLO: 860600505



RIVESTIMENTO ESTERNO
Acciaio Inox

RIVESTIMENTO INTERNO
Acciaio Inox

Tipologia refrigerante: R744



HOSHIZAKI

KPS 60 CF CO2

SPECIFICHE TECNICHE

Intervallo di temperatura	Alimentazione	Chilling capacity (from +70°C to +3°C in 90 minutes)
-25/+10°C	230V, 50Hz	60 kg

Dimensions internal (W x D x H)
455 mm x 850 mm x 1.545 mm

SPECIFICHE DI TRASPORTO

Dimensioni della confezione (L x P x A)	Volume (con imballo)	Peso lordo
780 mm x 995 mm x 2.025 mm	1,572 m ³	205 kg



HOSHIZAKI

Hoshizaki Belgium info@hoshizaki.nl
Hoshizaki Danmark info@hoshizaki.dk
Hoshizaki Deutschland vertrieb@hoshizaki.de
Hoshizaki France info@hoshizaki.fr
Hoshizaki Iberia info@hoshizaki.es
Hoshizaki Italia commerciale@hoshizaki.it
Hoshizaki Middle East sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com



HOSHIZAKI

KPS 60 CF CO2



Presto il disegno dimensionale



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com