



# HOSHIZAKI

## KPS 21 SH U BLAST CHILLER/FREEZER

SERIE: KPS  
CODICE ARTICOLO: 865780553



KPS 21 SH is a blast chiller/freezer featuring innovative technological solutions offering high food safety and performance. And with the new intuitive controller it has never been easier to manage chilling and freezing cycles. Featuring

- Removable support for 1/1 GN and 40 x 60 cm,
- Multipoint probe with 3 measuring points,
- Choose either the IFR operation, time or temperature controlled chill/freeze cycle.
- Prevent surface freezing damage with the IFR blast chilling function.
- Up to 20 customized cycles can be stored.
- HACCP alarms
- Operates as a storage cabinet after the chilling/freezing process has finished.

Height: 900 mm  
Exterior / interior: Stainless / Stainless  
Temperature range: -25 ° C / + 10 ° C.  
Cooling capacity: 22 kg from + 70 ° C to + 3 ° C in 90 minutes. Freezing capacity 13 kg from + 70 ° C to -18 ° C in 4 hours



**RIVESTIMENTO ESTERNO**  
**Acciaio Inox**

**RIVESTIMENTO INTERNO**  
**Acciaio Inox**

Refrigerante: 1,4 kg / Equivalente CO2: 2.997,4 kg

Consumo energetico - Raffreddamento (kWh/kg)	Consumo energetico - Congelamento (kWh/kg)
0,08 kWh/kg	0,3 kWh/kg



# HOSHIZAKI

## KPS 21 SH U

### SPECIFICHE TECNICHE

Intervallo di temperatura	Alimentazione	Capacità di refrigerazione (a -25°C)	Chilling capacity (from +70°C to +3°C in 90 minutes)	Freezing capacity (from +70°C to -18°C in 4 hours)
-25/+10°C	230V, 50Hz	947 kW	22 kg	13 kg

Livello rumorosità	Altezza inclusa le gambe (minimo)	Altezza inclusi le gambe (massimo)
65 dB(A)	820 mm	900 mm

### SPECIFICHE DI TRASPORTO

Peso lordo
130 kg



## HOSHIZAKI

Hoshizaki Belgium [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Danmark [info@hoshizaki.dk](mailto:info@hoshizaki.dk)  
Hoshizaki Deutschland [vertrieb@hoshizaki.de](mailto:vertrieb@hoshizaki.de)  
Hoshizaki France [info@hoshizaki.fr](mailto:info@hoshizaki.fr)  
Hoshizaki Iberia [info@hoshizaki.es](mailto:info@hoshizaki.es)  
Hoshizaki Italia [commerciale@hoshizaki.it](mailto:commerciale@hoshizaki.it)  
Hoshizaki Middle East [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

Hoshizaki Netherlands [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Norge [salg@hoshizaki.no](mailto:salg@hoshizaki.no)  
Hoshizaki Sverige [orderSE@hoshizaki.dk](mailto:orderSE@hoshizaki.dk)  
Hoshizaki UK [uksales@hoshizaki.uk](mailto:uksales@hoshizaki.uk)  
Paesi di esportazione [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)  
Altri paesi [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

[www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)



# HOSHIZAKI

## KPS 21 SH U



Presto il disegno dimensionale



## HOSHIZAKI

Hoshizaki Belgium  
Hoshizaki Danmark  
Hoshizaki Deutschland  
Hoshizaki France  
Hoshizaki Iberia  
Hoshizaki Italia  
Hoshizaki Middle East

[info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
[info@hoshizaki.dk](mailto:info@hoshizaki.dk)  
[vertrieb@hoshizaki.de](mailto:vertrieb@hoshizaki.de)  
[info@hoshizaki.fr](mailto:info@hoshizaki.fr)  
[info@hoshizaki.es](mailto:info@hoshizaki.es)  
[commerciale@hoshizaki.it](mailto:commerciale@hoshizaki.it)  
[sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

Hoshizaki Netherlands [info@hoshizaki.nl](mailto:info@hoshizaki.nl)  
Hoshizaki Norge [salg@hoshizaki.no](mailto:salg@hoshizaki.no)  
Hoshizaki Sverige [orderSE@hoshizaki.dk](mailto:orderSE@hoshizaki.dk)  
Hoshizaki UK [uksales@hoshizaki.uk](mailto:uksales@hoshizaki.uk)  
Paesi di esportazione [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)  
Altri paesi [sales.ex@hoshizaki-europe.com](mailto:sales.ex@hoshizaki-europe.com)

[www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)