



HOSHIZAKI

KPS 42 SH R

Blast Chiller/Freezer for Rational oven



SERIE: KPS

CODICE ARTICOLO: 865780560

KPS 42 SH R, compatible with Rational oven, is a blast chiller/freezer featuring innovative technological solutions offering high food safety and performance. And with the new intuitive controller it has never been easier to manage chilling and freezing cycles. Featuring

- Compatible with Rational type SCC 101
- Self closing door
- Removable support for 1/1 GN and 40 x 60 cm,
- Multipoint probe with 3 measuring points,
- Choose either the IFR operation, time or temperature controlled chill/freeze cycle.
- Prevent surface freezing damage with the IFR blast chilling function.
- Up to 20 customized cycles can be stored.
- HACCP alarms
- Operates as a storage cabinet after the chilling/freezing process has finished.

Height: 1850mm Exterior / interior: Stainless / Stainless Temperature range: -25 ° C / + 10 ° C. Cooling capacity: 45 kg from + 70 ° C to + 3 ° C in 90 minutes. Freezing capacity: 27 kg from + 70 ° C to -18 ° C in 4 hours

COMPATIBILE CON

Rational oven SCC101

RIVESTIMENTO ESTERNO

Acciaio Inox

RIVESTIMENTO INTERNO

Acciaio Inox

Refrigerante: 2 kg / Equivalente CO2: 4.282 kg

Consumo energetico - Raffreddamento (kWh/kg)	Consumo energetico - Congelamento (kWh/kg)
0,13 kWh/kg	0,4 kWh/kg

Hoshizaki Europe B.V.
Burgemeester Stramanweg 101
1101 AA, Amsterdam
Paesi Bassi

T. 0039 02 30557106
commerciale@hoshizaki.it
www.hoshizaki-europe.com

Sede legale Italiana: P.zza S.Maria Beltrade 1, 20123 Milano



HOSHIZAKI

KPS 42 SH R

SPECIFICHE TECNICHE

Intervallo di temperatura	Alimentazione	Capacità di refrigerazione (a -25°C)	Chilling capacity (from +70°C to +3°C in 90 minutes)	Freezing capacity (from +70°C to -18°C in 4 hours)
-25/+10°C	400V, 3N-/50 Hz	2.011 kW	45 kg	27 kg

Livello rumorosità	Dimensioni esterne (L x P x A)
72 dB(A)	800 mm x 830 mm x 1.850 mm

SPECIFICHE DI TRASPORTO

Peso lordo
225 kg



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com



HOSHIZAKI

KPS 42 SH R



Presto il disegno dimensionale



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com