



HOSHIZAKI

KPS 42 CF/SF CO2

Blast Chiller for remote CO2 installations



SERIE: KPS

CODICE ARTICOLO: 865809983

KPS 42 CF, for remote installations, is a blast chiller featuring innovative technological solutions offering high food safety and performance. And with the new intuitive controller it has never been easier to manage chilling cycles. Featuring

- Prepared for remote installation
- Self closing door
- Removable support for 1/1 GN and 40 x 60 cm
- Multipoint probe with 3 measuring points
- Choose either the IFR operation, time or temperature controlled chill cycle
- Prevent surface freezing damage with the IFR blast chilling function
- Up to 20 customized cycles can be stored
- HACCP alarms
- Operates as a storage cabinet after the chilling process has finished

Height: 1850mm Exterior / interior: Stainless / Stainless
Temperature range: 0 ° C / + 10 ° C. Cooling capacity: 45 kg from + 70 ° C to + 3 ° C in 90 minutes.

General description:

- Self closing door
- Removable support for 1/1 GN and 40 x 60 cm
- Multipoint probe with 3 measuring points
- Choose either the IFR operation, time or temperature controlled chill cycle
- Prevent surface freezing damage with the IFR blast chilling function
- Up to 20 customized cycles can be stored
- HACCP alarms
- Operates as a storage cabinet after the chilling process has finished.

RIVESTIMENTO ESTERNO

Acciaio Inox

RIVESTIMENTO INTERNO

Acciaio Inox

Tipologia refrigerante: R744



HOSHIZAKI

KPS 42 CF/SF CO2

SPECIFICHE TECNICHE

Intervallo di temperatura	Alimentazione	Chilling capacity (from +70°C to +3°C in 90 minutes)	Freezing capacity (from +70°C to -18°C in 4 hours)
-25/+10°C	230V, 50Hz	45 kg	27 kg

Dimensioni esterne (L x P x A)

800 mm x 830 mm x 1.850 mm

SPECIFICHE DI TRASPORTO

Peso lordo

200 kg



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com



HOSHIZAKI

KPS 42 CF/SF CO2



Presto il disegno dimensionale



HOSHIZAKI

Hoshizaki Belgium
Hoshizaki Danmark
Hoshizaki Deutschland
Hoshizaki France
Hoshizaki Iberia
Hoshizaki Italia
Hoshizaki Middle East

info@hoshizaki.nl
info@hoshizaki.dk
vertrieb@hoshizaki.de
info@hoshizaki.fr
info@hoshizaki.es
commerciale@hoshizaki.it
sales.ex@hoshizaki-europe.com

Hoshizaki Netherlands info@hoshizaki.nl
Hoshizaki Norge salg@hoshizaki.no
Hoshizaki Sverige orderSE@hoshizaki.dk
Hoshizaki UK uksales@hoshizaki.uk
Paesi di esportazione sales.ex@hoshizaki-europe.com
Altri paesi sales.ex@hoshizaki-europe.com

www.hoshizaki-europe.com